5/13

		Procedure	By	Date	Qty
Step	Location	Issue W/O	2	05,02.23	20
1	EXPEDITING		10	03102.23	1
2	METAL	Cut blanks per template DT 8533 M(6153	9	05-03-14	20
-	Miles Add Inc.	Material: 6061-T6 bar 10.00" x 0.50" Batch: WICG 2-7	-		
3	HAAS	Machine as per folio FA102	50	05 03.14	30
	1000000				-
4	QC	Inspect Level 2	20	05.03.14	8
5	QC	Inspect Level 8	5	05/04/23	8
5	QC	mopost at	tp	0-10473	
6	METAL	Tumble & Deburr	%.	05/0723	8
			1		
7	QC	Inspect Level 5	co	05/03/23	8
	ENTICHING	Chemical conversion coat per QSI 005	-	05/03/28	8
. 8	FINISHING	Chemical conversion	7.6	03/03/08	0
9	STORES	Identify and stock	SA	05/03/28	8
	MERC PAI		120		0
10	EXPEDITING	Close W/O Cost / part: 65. 98 545 05/03/25	del	05,04,05	8
		Cost / part: 6 / 6 - 5 / 65 / 65 / 65 / 65			

 Rev
 Date
 Change
 Revised By
 Approved

 A
 00.11.06
 New Issue
 EC

RELEASED

EZ 00.11.06


W/O:		WORK ORDER CHANGES								
DATE	STEP	PROCEDURE CHANGE	Ву	Date	Qty	Approval Mfg / Design Mgr	Approval QC Inspector			
				· · · · · · · · · · · · · · · · · · ·			2			

NCR:		W	ORK OR	DER NON-CONFORMANO	E (NCR)			
		Description of NC	Corrective Action Section B			Verification	A	Annual
DATE	STEP	Section A	Initial Design Mgr	Action Description  Design Mgr	Sign & Date	Section C	Approval Design Mgr	Approval QC Inspector
A03/15	# 3	one Part ecrap. Cutrus MAt. Pelloutaled the cutrus	Der OUTH	destroy & replace	A- oslos/22	05-03-15	paracipus	B 03-15
US-103.79	2-3	8 pieces or Sector)  pocket milled at 1240 "  instead of 250" which  makes it out of		Son Hese 8 perts Only mith Sace step		多		05.03.5
				· 48.5		See 2252	48	

Part No:	PAR #:	Fault Category:	NCR:	Yes No DQA:	Date:	
NOTE: Date & initial all entries				QA: N/C Closed:	Date:	

MELIMINARY ISSUE

DESIGN CF	DRAWN BY	DART AEROSPACE HAWKESBURY, ONTARIO, CANAD	
CHECKED	APPROVED	DRAWING NO.	REV. B
á.		D2803	SHEET 1 OF 2
DATE		TITLE	SCALE
04.11.22		STA 84 BRACKET	1:3
А	00.11.07	NEW ISSUE	
5	04.11.00	ADD CUTOUTS & DAZ / DAA	



## D2803-1 BRACKET (SHOWN), D2803-2 BRACKET (OPPOSITE)

1) MACHINE PER DRAWING FILE "D2803.SLDPRT"

2) MATERIAL: 6061-T6 (QQ-A-200/8) OR (QQ-A-250/11) 0.500 THICK

3) DEBURR TO LEAVE RO.030 - 0.063 ON ALL EDGES

4) FINISH: CHEMICAL CONVERSION COAT PER DART QSI 005 4.1

5) TOLERANCES ARE PER DART QSI 018 UNLESS OTHERWISE NOTED

NO. 22524

Copyright © 2000 by DART AEROSPACE LTD

THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.